Appendix E References

Ahrnsbrak, W. 1986. Water movements in the south end of Cayuga Lake. Report to Engineering Department, City of Ithaca NY.

Baker Engineering, New York, Inc. 1998. Report to New York State Canal Corp.

Barko, J.W., M.S. Adams, and N.L. Clesceri. 1986. Environmental factors and their consideration in the management of submersed aquatic vegetation: A review. J Aq. Plant Manage. 24: 1-10.

Becker, G.C. 1983. Fishes of Wisconsin. Ann Arbor, MI: The University of Wisconsin Press.

Berg, C.O. 1966. Middle Atlantic States. In *Limnology in North America*, edited by D.G. Frey, 191-237. Madison, WI: Univ. of Wisconsin Press.

Bergstedt, R.A., and R. O'Gorman. 1989. Distribution of alewives in southeastern Lake Ontario in autumn and winter: A clue to winter mortalities. *Trans. Am. Fish Soc. II* 8: 687-692.

Birge, E.A and C. Juday. 1914. A Limnological Study of the Finger Lakes of New York. Bull. Fish. 37: 210-252.

Bishop D.L. 1992. Interaction between adult lake trout abundance and recruitment of stocked salmonids in Cayuga and Seneca Lakes. Unpublished master's thesis, State University of New York College of Environmental Science and Forestry, Syracuse, NY.

Boreman, J. 1974. Effects of stream improvement of juvenile rainbow trout in Cayuga Inlet, New York. Trans. Am. Fish. Soc. 3: 637-641.

Brandt, S.B., J.J. Magnuson, and L.B. Crowder. 1980. Thermal habitat partitioning by fishes in Lake Michigan. *Can. J Fish. Aqual. Sci.* 37: 1557-1564.

Braun, E.L. 1950. Deciduous Forest of Eastern North America. Hafner Press, New York, NY. 595 pp.

Bray, William L. 1930. The development of vegetation in New York State. N.Y. State Coll. Forestry, Syracuse Univ. Tech. Publication #29. Syracuse, NY

Bouldin, D.R. 197 5. Transport in Streams. In *Nitrogen and Phosphorus: Food Production, waste, and the Environment*, edited by K. S. Porter. Ann Arbor, MI: Ann Arbor Science Publishers, Inc.

Brownell. W.N. 1970. Studies on the ecology of *Mysis relicta* in Cayuga Lake. Unpublished master's thesis, Cornell University, Ithaca, NY.

Cayuga County. 1996. Cayuga County Water Quality Management Agency Strategy. Prepared by Cally Miklasz and Nadia Niniowsky.

Cayuga County. 1999. Impact of the Environmental Quality Incentive Program in the Cayuga Lake Watershed.

Cayuga Lake Watershed Network. 1998. Cayuga Lake Watershed Stakeholder Survey.

Chambers R.E. Integrating Forest Management Wildlife. School of Environmental Science & Forestry, Syracuse, NY.

Chiotti, T.L. 1980. A Strategic Fisheries Management Plan for Cayuga Lake. Bureau of Fisheries, Division of Fish and Wildlife, NYSDEC.

Chiotti, T.L., R. Sage, and P. Emerson. 1977. Finger Lakes Resource Inventory Data.- Cayuga Lake. Cortland, NY: NYSDEC.

Cortland County Water Quality Coordinating Committee. r1998. Cortland County Water Quality Strategy.

Crowder, L.B. 1980. Alewife, rainbow smelt, and native fishes in Lake Michigan: Competition or predation? *Environ. Biol. Fish.* 5: 225-233.

Crowder, L.B. and W.E. Cooper.1982 Habitat structure complexity and the interaction between bluegills and their prey. *Ecology* 63:1802-1813

Dahlberg, M. 1973. An Ecological Study of Cayuga Lake, New York, Vol. 4. Report to NYS Electrical and Gas Corporation. NUS Corp., Pittsburgh, PA.

Dewey, M.R. and C.A. Jennings.1992 Habitat use by larval fishes in a backwater lake of the upper Mississippi River. *J. Freshwater Biology* 7:363-372.

Dillon, P.J., and F.H. Rigler. 1974. The phosphorus-chlorophyll relationship in lakes. *Limnol. Oceanogr.* 19(5): 767-773.

DiToro, D.M., J.D. Mahoney, D.J. Hansen, K.J. Scott, A.R. Carlson, and G.T. Ankley. Acid volatile sulfide predicts the acute toxicity of cadmium and nickel in sediments. *Environ. Sci. Technol.* 26(1): 96-101.

Eck, G.W., and L. Wells. 1987. Recent changes in Lake Michigan's fish community and their probable causes, with emphasis on the role of alewife (*Alosa pseudoharengus*). *Can. J Fish. Aquat. Sci.* 44 (Suppl. 2): 53-60.

Eckhardt, A.V., Kappel, W.M, Coon, W.F. & Phillips, P.J. *Herbicides and their Metabolites in Cayuga Lake and it Tributaries, New York*. USGS Toxic Substances Hydrology Program – Proceedings of the Technical Meeting, Charleston, South Carolina, March 8-12, 1999. Water Resources Investigations Report 99-4018B.

Effler, S.W., M.T. Auer, and N.A. Johnson. 1999. Modeling Cl concentration in Cayuga Lake, U.S.A. *Water, Air, and Soil Poll.* 44: 347-362.

Enserink, 1999. Biological invaders. Science. 17 Sept, pg. 1834.

Fahnenstiet, G.L., G.A. Lang, T.F. Nalepa, and T.H. Johengen. 1995. Effects of zebra mussel (*Dreissena polymorpha*) colonization on water quality parameters in Saginaw Bay, Lake Huron. J. Great Lakes Res. 21(4): 435.

Fisher, J. P. J. M. Spitzbergen, T. Iamonte, E.E. Little, and A. deLonay. 1995. Pathological and behavioral manifestations of the "Cayuga syndrome", a thiamine deficiency in larval landlocked Atlantic salmon. J. Aquatic Animal Health. 7:269-283.

Foote, A.L. and J.A.Kadlec. 1988. Effect of wave energy on plant establishment in shallow lacustrine wetlands. Journal of Freshwater Ecology 4:523-532.

Fynn-Aikens, K., P. Bowser, D. Honeyfield, J. Fitzsimons, and H.G. Ketola. 1998. Effect of dietary amprolium on tissue thiamine and Cayuga syndrome in Atlantic salmon. Trans. Am. Fish. Soc. 127:747-757.

Galligan, J.P. 1962. Distribution of lake trout in Cayuga Lake. N.Y Fish and Game J. 9(1):44-68.

Gibson, J.A. 1981. Hydroacoustical studies of alewife depth distribution, temperature preference, and schooling behavior in Cayuga Lake, New York. Unpublished master's thesis, Cornell University, Ithaca, New York.

Godfrey, P. 1977. Spatial and temporal variation of the phytoplankton in Cayuga Lake. Unpublished doctoral dissertation, Cornell University, Ithaca, NY.

Gross. E. M., R. L. Johnson and N.G. Hairston. 1999. Experimental evidence for changes in submersed macrophyte species composition caused by the herbivore *Acentria ephemerella*. In review. Limnol Oceanogr.

Heit, M., Y.L. Tan, K.M. Miller, **J.** Quanci, C. Marinetti, S. Silvestri, A.L. Swain, and M.G. Winkler. 1986. *The Sediment Chronology and Polycyclic Aromatic Hydrocarbon Concentrations and Fluxes in Cayuga Lake, New York.* Environmental Measurements Laboratory, U.S. Department of Energy, New York.

Hennick, D.G. 1973. Alewife growth rate and foraging effort in Cayuga Lake as related to zooplankton standing crop. Unpublished master's thesis, Cornell University, Ithaca, NY.

Henson, E.B., A.S. Bradshaw, and D.C. Chandler. 1961. The physical limnology of Cayuga Lake, New York. Mem. No. 378. New York State College of Agriculture, Ithaca, NY.

Hewett, S.W., and D.J. Stewart. 1989. Zooplanktivory by alewives in Lake Michigan: Ontogenetic, seasonal and historical patterns. *Trans. Am. Fish. Soc.* 1 8: 5 81-596.

Holmquist, C. 1959. *Problems on Marine-Glacial Relicts. An account of investigations on the genus* Mysis. Lund, Sweden: Berlingska Bocheriet.

Howarth, R.W., R. Marino, J. Lane, and J.J. Cole. 1988. Nitrogen fixation in freshwater, estuarine, and marine ecosystems. 1. Rates and importance. *Limnol. Oceanogr.* 33 (4, part 2): 669-687.

Howarth, R.W., R. Marino, and J.J. Cole. 1988. Nitrogen fixation in freshwater, estuarine, and marine ecosystems. 2. Biogeochemical controls. *Limnol. Oceanogr.* 33 (4, part 2): 688-701.

Janssen, J., and S.B. Brandt. 1980. Feeding ecology and vertical migration of adult alewives (*Alosa pseudoharengus*) in Lake Michigan. *Can. J. Fish. Aquat. Sci.* 37: 177-184.

JEEAI. 1997. Cayuga Lake Source Cooling Hydrothermal Modeling. Appendix C-8 of Stearns & Wheler. 1997. Draft Environmental Impact Statement prepared for Cornell University, NY.

Jeer, S., Lewis, M, Meck, S., Witten, J. and Zimet, M. 1999. *Nonpoint Source Pollution: A Handbook for Local Governments*. American Planning Association, Planning Advisory Service, Report No. 476.

Johnson, C.W. 1985. Bogs of the Northeast. University Press of New England. London, England. 269 pp.

Johnson, R. L., E. M. Gross and N.G. Hairston. 1998a. Decline of the invasive submersed macrophyte Myriophyllum spicatum (Haloragaceae) associated with herbivory by larvae of Acentria ephemerella (Lepidoptera). Aquatic Ecology. 31: 273-282.

Johnson, R.L., P. J. VanDusen, J.A. Toner and N.G. Hairston. 1998b. Eurasian watermilfoil biomass associated with insect herbivores in New York. [in review] J. Aquatic Plant Management.

Kappel, W. 1999. Geography of the Oswego River Basin and its Relationship to Cayuga Lake. USGS.

Karig, D, S. Das and M. Cheatham. 1996. Sedimentology, geochemistry, and porosity of Core 1-4 (yacht club site, Cayuga Lake). Appendix I-3 of Tompkins County Planning Department, Aquatic vegetation Control Program. Project Completion Report. Ithaca, NY.

Killorn, R. 1990. *Trends in Soil Test P and K in Iowa*, Paper Presented at the 20th North Central Extension-Industry Soil Fertility Workshop, 14-15 November, Bridgeton, MO.

Kraft, C.E., and J.F. Kitchell. 1986. Partitioning of food resources by sculpin in Lake Michigan. *Environ. Biol. Fish.* 16: 309-316.

Lantry, B.F., and D.J. Stewart. 1993. Ecological energetics of rainbow smelt in the Laurentian Great Lakes: An interlake comparison. *Trans. Am. Fish. Soc.* 122: 951-976.

Lasenby, D.C., T.G. Northcote, and M. Furst. 1986. Theory, practice, and effects of *Mysis relicta* introductions to North American and Scandinavian Lakes. *Can. J. Fish. Aquat. Sci.* 43: 1277-1284.

Likens, G.E. 1974a. The runoff of water and nutrients form watersheds tributary to Cayuga Lake, New York. Technical Report 81. Ithaca, NY: Cornell University Water Resource and Marine Science Center.

Likens, G.E. 1974b. Water and nutrient budgets for Cayuga Lake, New York. Technical Report 82. Ithaca, NY: Cornell University Water Resource and Marine Science Center.

Ludlam, S.D. 1964. The banded sediments of Cayuga Lake. Unpublished doctoral dissertation, Cornell University, Ithaca, NY.

Lull, H.W.1968. A Forest Atlas of the Northeast. Northeastern Forest Experiment Station, Forest Service, USDA Upper Darby, PA. 46 pp.

Makarewicz, J., R. Ward, T. Lewis. 1999. Water quality of Cayuga Lake 1991 – 1998. Prepared for Seneca County Soil and water Conservation District. Seneca Falls, N.Y.

Marks, P.L. and S. Gardescu. 1992. Late Eighteenth Century Vegetation of Central and Western New York State on the Basis of Original Land Survey Records. New York State Museum Bulletin No. 484. The University of the State of New York, Biological Survey. Albany, NY. 53 pp.

Michel R. L. and T. F. Kraemer. 1995. Use of hydrology data to estimate water residence times of the Finger Lakes, New York. J. Hydrology. 164:1-18.

Miller, Todd S. 1988. *Unconsolidated aquifers in upstate New York - Finger Lakes sheet*: U.S. Geological Survey Water Resources Investigation Report 87-4122, 1 sheet, scale 1:250,000.

Mills, E.L., G. Rosenberg, A. P. Spidle, M. Ludyanskiy, Y. Pligin, and B. May. 1995, in review. A review of biology and ecology of the quagga mussel (*Driessena bugensis*), a second species of freshwater dreissenid introduced to North America.

Mills, E.L., R.M. Der-mott, E.F. Roseman, D. Dustin, M. Mellina, D.B. Conn, and A.P. Spidle. 1993. Colonization, ecology, and population structure of the quagga mussel (*Bivalvia: Dreissenidae*) in lower Great Lakes. *Can. Jour. Fish Aquatic Sci.* 50: 2305-2314.

Mills, E.L., J.H. Leach, J.T. Carlton, and C.L. Secor. 1993. Exotic species in the Great Lakes: A history of biotic crises and anthropogenic introductions. J *Great Lakes Res.* 19: 1-54.

Moran, E.C. 1989. Project Completion Report: Projected Impacts of Discharge from Ithaca Area wastewater Treatment Plant on Cayuga Lake. Prepared for the City of Ithaca, New York.

Mullins, H. T. 1998. Holocene lake level and climate change inferred from marl stratigraphy of the Cayuga Lake basin, New York. J. Sedimentary Res. 68(4): 569-578.

Mussell, H. 1996. Six Mile Creek Agricultural Land Use Survey. Tompkins County Soil & Water Conservation District.

New York State Association of Regional Councils. 1997. Population Projections to 2030, New York State and Its Counties.

NYSDEC, 1998. Chemical Bulk Storage Database.

NYSDEC, 1994. Digital Primary Aquifers.

NYSDEC, 1998. Digital Wildlife Management Area.

NYSDEC. 1998. Hydrography Database.

NYSDEC. 1998. Inactive Hazardous Waste Sites Database.

NYSDEC, 1998. Major Oil Storage Facilities Database.

NYSDEC, 1998. Mined Land Database.

NYSDEC. 1996. Regulatory Freshwater Wetlands.

NYSDEC. 1998. Petroleum Bulk Storage Database.

NYSDEC. 1998. Spills Database,

NYSDEC. 1999. New York Natural Heritage Program Species List for Cayuga Lake Watershed.

NYSDEC Region 7 & 8. 1998. SPDES Permit Data.

NYSDEC, Division of Fish, Wildlife & Marine Resources. 1999. Amphibian & Reptile Atlas Project.

NYSDEC, Division of Water. 1996. The 1996 Priority Waterbodies List for the Oswego-Seneca-Oneida River Basin.

New York State Department of Environmental Conservation (NYSDEC). 1994a. *Technical Guidance for Screening Contaminated Sediments*. Division of Fish and Wildlife, Albany, NY (July).

New York State Department of Environmental Conservation (NYSDEC). 1994b. *Interim Guidance: Freshwater Navigational Dredging*. Division of Water, Albany, NY (October).

New York State Department of Environmental Conservation (NYSDEC). 1993. *New York State Fact Sheet: Ambient Water Quality Value for Protection of Recreational Uses.* Albany, NY. NYSDEC Bureau of Technical Services and Research.

New York State Department of Environmental Conservation (NYSDEC). 1999. The Oswego-Seneca-Oneida Rivers Basin Report 1995 –1996. Rotating Intensive Basin Studies: Water Quality Assessment Program. Albany.

NYSDEC & The Federation of Lake Associations, Inc. 1990. *Diet for a Small Lake, A New Yorker's Guide to Lake Management*. Rochester, NY.

NYSDEC & NYS Soil and Water Conservation Committee. 1994. Watershed Planning Handbook for Control of Nonpoint Source Pollution.

NYSDEC, USDA & NRCS. 1998. New York State's Unified Watershed Assessment and Restoration Priorities.

New York State Department of Health. 1999a. Water Purveyor Database.

New York State Department of Health. 1999b. New York State Source Water Assessment Program Plan.

NYSDOT. 1996. Digital Roads.

NYS Geologic Survey. 1999. Digital Bedrock Geology

New York State Geological Survey. 1999. Surficial Geology.

New York State Office of Parks, Recreation, and Historic Preservation. 1996. Final Environmental Impact Statement, Allan H. Treman State Marine Park Master Plan, Albany.

NYSOPRHP, 1999. Digital Campground.

NYSOPRHP, 1999. Digital Boat Launch.

NYSOPRHP, 1999. Digital Marina.

NYSOPRHP, 1999. Digital Urban Cultural Park.

NYSOPRHP, 1999. Digital Finger Lakes Trail.

NYSOPRHP, 1999. Digital Park/Recreation Area.

New York State Office of Real Property Services, 1998. Real Property Services Database.

North Carolina State University. 1984. *Best Management Practices for Agricultural Nonpoint Source Control: IV. Pesticides.* North Carolina State University, National Water Quality Evaluation Project, Raleigh, NC.

Northeast Regional Climate Center. 1999. *Climate, Ithaca, NY*. Department of Soil, Crop and Atmospheric Sciences, Cornell University.

Novais, R., and E.J. Kamprath. 1978. *Phosphorus Supplying Capacities of Previously Heavily Fertilized Soils*. Soil Science Society of America Journal, 42:931-935.

NUS Corporation. 1973. Environmental Feasibility Report: Bell Station. Prepared for NYS Electric and Gas Corporation, Ithaca, New York.

Oglesby, R.T., A. Vogel, J.H. Peverly and R.L. Johnson. 1976. Changes in submerged plants at the south end of Cayuga Lake following tropical storm Agnes. Hydrobiologia. 48:251-255.

Oglesby, R.T. 1978. The limnology of Cayuga Lake. In *Lakes of New York State*, Vol. 1.- Ecology of the Finger Lakes, edited by J.A. Bloomfield, 1-120. New York: Academic Press.

Peterson, B.J., J.P. Barlow, and A.E. Savage. 1974. The physiological state with respect to phosphorus of Cayuga Lake phytoplankton. *Limnol. Oceanogr.* 19: 396-408.

Philips, P. J, D. A. V. Eckhardt, E.M. Thurman, and S.A. Terraciano, 1999. Ratios of metalochlor and its metabolites in groundwater, tile-drain discharge, and surface water in selected areas of New York State. *In* Morganwalp, D. W. and Buxton, H. T. [eds] U.S. Geological Survey Toxic Substances Hydrology Program-Proceedings of the Technical Meeting, Charleston S.C. March 1999. USGS Water Resources Investigation Report 99-4018B.

Platts, W.S. 1990. Managing Fisheries and Wildlife on Rangelands Grazed by Livestock, A Guidance and Reference Document for Biologists. Nevada Department of Wildlife, Reno, NV.

Rand, P.S., D.J. Stewart, P.W. Seelbach, M.L. Jones, and L.R. Wedge. 1993. Modeling steelhead population energetics in Lake Michigan and Ontario. *Trans. Amer. Fish. Soc.* 122: 977-1001.

Robertson, A. C.F. Powers, and R. Anderson. 1968. Direct observations of Mysis relicta from a submarine. Limnol. Oceanogr. 13(4):700-702.

Robillard, P.D., and M.F. Walter. 1986. *Nonpoint Source Control of Phosphorus - A Watershed Evaluation. Vol. 2. Development of Manure Spreading Schedules to Decrease Delivery of Phosphorus to Surface Waters.* U.S. Environmental Protection Agency, Robert S. Kerr Environmental Research Laboratory, Ada, OK. Internal report.

Rothschild, B.J. 1962. The life history of the alewife, *Alosa pseudoharengus* (Wilson) in Cayuga Lake, New York. Unpublished doctoral thesis, Cornell University, Ithaca, New York.

Samadpour, M. 1999. *Phase One Report, Owasco Lake Microbial Source Tracking Study*, University of Washington, Seattle, Washington.

Savino, J.F. and R.A. Stein.1989Behavior of fish predators and their prey: habitat choice between open water and dense vegetation. Environmental Biology of Fishes 24:287-293.

Schaffner, W.T. and R. T. Ogelsby. 1978. Limnology of eight Finger Lakes. In *Lakes of New York State*, *Vol. 1.- Ecology of the Finger Lakes*, J.A. Bloomfield [ed]. New York: Academic Press.

Schaffner, W.T. 1997. Appendix C-1, Cornell Lake Source Cooling Draft Environmental Impact Statement. Stearns & Wheler.

Schecher, W.D., and D.C. McAvoy. 1992. MINEQL+: A software environment for chemical equilibrium modeling. *Coniput. Environ. Urban Systems* 16: 65-76

Scott, W.B., and E.J. Crossman. 1973. Freshwater fishes of Canada. Fish. Res. Board Canada 184.

Seneca County. 1990 r1996. Seneca County Water Quality Strategy. Seneca County Water Quality Committee.

Sims, J.T. 1992. *Environmental management of phosphorus in agricultural and municipal wastes*. In Future Directions for Agricultural Pollution Research, ed. F.J. Sikora. Tennessee Valley Authority, Muscle Shoals, AL. Bulletin Y-224.

Smith, C.L. 1985. The Inland Fishes of New York State. Albany, NY: NYDEC.

Smith, V.H. 1983. Low nitrogen to phosphorus ratios favor dominance by blue-green algae in lake phytoplankton. *Science* 221: 659-671.

Stearns & Wheler. 1997. Draft Environmental Impact Statement, Cornell Lake Source Cooling prepared for Cornell University, NY (NYSDEC Application #7-00009/00001.

Stearns & Wheler. 1994. Interim Report: Environmental Feasibility Assessment of Lake Source Cooling. Prepared for Cornell University, Ithaca NY.

Stewart, D.J., D. Weininger, D.V. Rottiers, and T.A. Edsall. 1983. An energetics model for lake trout (Salvelinus namaycush): Application to the Lake Michigan population. Can. J. Fish. Aquat. Sci. 40: 681-698.

Sunderam, T.R., C.C. Easterbrook, K.R. Piech, and G. Rudinger. 1969.,4n *Investigation of the Physical Effects of thermal Discharges into Cayuga Lake (Analytical Study)*. Prepared for Jackson and Moreland Division of United Engineers and Constructors, Inc. Contract no. 9500-011013ONYS17. Buffalo, NY: Cornell Aeronautical Laboratory.

Thorpe, J.H., and A.P. Covich. 1991. *Ecology and Classification of North American Freshwater Invertebrates*. New York: Academic Press.

Tompkins County. 1992 r1997. Tompkins County Water Quality Strategy Plan.

Tompkins County Soil & Water Conservation Distinct. *Fall Creek Watershed Agricultural Land Use Practices*. Tiers I & II Survey.

US Army Corps of Engineers – Buffalo District. 1984. Oswego River Basin, NY Management Plan Analysis – Cayuga Lake, NY.

USDA Forest Service, 1993. Forest Statistics for New York: 1980-1993.

USDA, Soil Conservation Service in cooperation with Cornell University Agricultural Experiment Station. 1971. *Cayuga County Soil Survey*.

USDA, Soil Conservation Service in cooperation with Cornell University Agricultural Experiment Station. From *Cortland County Soil Survey*, Series 1957, No. 10.

USDA, Soil Conservation Service in cooperation with Cornell University Agricultural Experiment Station. 1979. *Schuyler County Soil Survey*.

USDA, Soil Conservation Service in cooperation with Cornell University Agricultural Experiment Station. 1972. *Seneca County Soil Survey*.

USDA, Soil Conservation Service in cooperation with Cornell University Agricultural Experiment Station. 1965. *Tompkins County Soil Survey*, Series 1961, No. 25.

USDI, USGS, NYSDEC. 1974. *Ground Water Resources of the Western Oswego River Basin*, *New York*. Cayuga Lake Basin and Wa-Ont-Ya Basin Regional Water Resources Planning Boards, ORB-5.

USDI, USGS, NYSDEC. 1975. Chemical Quality of Ground Water in the Oswego River Basin, New York Cayuga Lake Basin and Wa-Ont-Ya Basin Regional Water Resources Planning Board, ORB-3.

US Department of Commerce. 1990. 1990 US Census of Population and Housing STF3.

USEPA. 1993a. Wellhead Protection: A Guide for Small Communities. Seminar Publication, EPA/625/R-93/002.

USEPA. 1993b. Guidance Specifying Management Measures for Sources of Nonpoint Source Pollution in Coastal Waters. EPA-840-B-93-001c.

United States Environmental Protection Agency (USEPA). 1993. Office of Water Policy and Technical Guidance on Interpretation and Implementation of Aquatic Life Metals Criteria. Washington, DC.

United States Environmental Protection Agency (USEPA). 1974. Report on Cayuga Lake, Cayuga, Seneca, and Tompkins County, NY. EPA Region II. Working Paper No. 153, EPA, National Eutrophication Survey. National Environmental Research Center, Las Vegas.

USGS. 1995. Pesticides in Ground Water. Fact Sheet FS-244-95.

USGS. 1998. Land Cover. EROS Data Center.

USGS. Topographic Quadrangle Maps

USGS and NYSDEC. 1998. Digital Elevation Model.

Vogel, A. 1973. Changes in the submerged aquatic flora at the south end of Cayuga Lake between 1929 and 1970. Unpublished master's thesis, Cornell University, Ithaca, NY.

Westerman, P.W., L.M. Safley, J.C. Barker, and G.M. Chescheir. 1985. Available Nutrients in Livestock Waste. In Proceedings of the Fifth International Symposium on Agricultural Wastes, Agricultural Waste Utilization and Management, American Society of Agricultural Engineers, St. Joseph, MI, pp. 295-307.

Windom, H. L., J. T. Byrd, R.G. Smith, and F. Huan. 1991. Inadequacy of the NASQAN data for assessing metals trends in the nation's rivers. Environ. Sci. Technol. 25: 1137 – 1142.

Wing, M.R., A. Preston, N. Acquisto, and W.F. Ahrnsbrak. 1995. Intrusion of saline groundwater into Seneca and Cayuga lakes, New York. Limnol. Oceanogr. 10:791-801.

Wright, T. D. 1969. Hydrology and flushing characteristics. In "Ecology of Cayuga Lake and the Proposed Bell Station (Nuclear Powered) "R.T. Oglesby and D. J. Allee [eds.] Technical Report 27. Ithaca, NY: Cornell University Water Resource and Marine Science Center.

Youngs, W.D., and R.T. Oglesby. 1972. Cayuga Lake: Effects of Exploitation and Introductions of the Salmonid Community. *J Fish. Res. Bd. Canada* 29: 787-794.